INDEX TO
EXPERIMENTAL TECHNIQUES

Volume 10, 1986

Title Index

Calibration of a Dual Gamma-Ray Scanner — E. Evgin, 21-23 (Dec.).
Casting Compact-Tension Specimens from Brittle Epoxy — M. Breslauer, A.S. Voloshin and J.A. Manson, 26-27 (May).
Completely Integrated System for the Treatment of Crack-Growth Test Data, A — B.J. Schwartz and D.T. Hunter, 29-34 (Mar.).
Computer-Assisted Instrumented-Impact Testing — G. Adam, Y. Rosenthal and M. Mark-Markowitch, 24-26 (Sept.).
Computer-Assisted Reduction of Two-Dimensional Photoelastic Shear-Difference Data — R.O. Case and A.C. Barkoff, 32-37 (Sept.).
Crack-Propagation Velocity Measurements — S. Sahraoui, J. Lataillade and J. Pouyet, 23-25 (June).
Deflected-Beam Technique for Determining the Center Mass of a Body — P.E. Klingsport, 26-28 (Jan.).
Demonstration of Principal-Stress Trajectories in Frozen-Stress Three-Dimensional Models — B.M. Michalski and M.A. Sklodowski, 36-39 (Mar.).
Design of a Wood's Metal Grip in Torsion — H. Nayeb-Hashemi, 34-37 (Apr.).
Effect of Mass on Force-Transducer Sensitivity — K.G. McConnell and S.-B. Han, 19-22 (July).
Experimental Field-Testing Device for Agricultural Tools — N. Lepore and V. Steffen, Jr., 24-25 (Aug.).
Experimental Technique to Assess the Compactness of Slurry-Fuel Sediments, An — S.K. Kesavan and N.P. Reddy, 28-29 (Apr.).
Experimental Technique to Study Impulse-Wave Propagation in Materials, An — S. Yazdani-Ardakani, S.K. Kesavan and M.L. Chu, 30-32 (Jan.).
Field Measurement of Tension in a T-142 Tank Track — R.M. Trusty, M.D. Witt, G.W. Carter and D.R. Lesuer, 28-32 (May).
Improvised Sliding-Wear Testing Device — G. Sridharan, 26-27 (June).
Instrumentation Techniques for Monitoring Shock and Detonation Waves — R.D. Dick and R.L. Parrish, 26-31 (Aug.).
Measurement of Automotive-Suspension Displacement Using Rotary Variable Differential Transformers — J.J. Jachman, 30-33 (Apr.).
Measurement of Contact Angle in a Clearance-Fit Pin-Loaded Hole — R. Prabhakaran and R.A. Naik, 25-27 (Feb.).
Measurement of Hydrostatic-Pressure Effect on Tension Test of Photoviscoplastic Polymers — T. Nishitani, 19-21 (May).
Methods of Extending the Performance of Commercial Materials-Testing Machines in Plastic Strain-Limit Control — J.P. Baker, L.L. Lisiecki and J.R. Weertman, 26-28 (Oct.).
Optoelectronic System for Fringe-Pattern Analysis, An — C.A. Sciammarella and M. Ahmadshahi, 8-13 (July).
Photogrammetry as a Means of Mapping Postbuckled Composite Surfaces — T.S. Gates, 18-22 (June).
Position/Dimension by Structured Light — C. Silvaggi, F. Luk and W. North, 22-25 (Oct.).
Pressure Transducer for the Measurement of Wind Effects on Full-Scale Structures — G.J. Creus, 18-19 (Nov.).
Rastegaev Upset Test, The—A Method to Compare Large Material Volumes Homogeneously — W. Reiss and K. Pohlandt, 20-24 (Jan.).
Residual Stresses at Small Diffusion Welds — D.G. Berghaus, 40-42 (Mar.).
SEM Strain-Gage Round-Robin — S.K. Foss, B.C. Dykes and M.E. Tuttle, 27-31 (Sept.).
SEM/ASTM Round-Robin Residual-Stress Measurement Study—Phase I — M.T. Flaman and J.A. Herring, 23-25 (May).
Shadow-Moiré Method for Foot-Pressure Measurement — A. Asundi, 28 (Feb.).
Small In-Plane/Out-of-Plane Ultrasonic Displacement Measurement Using Laser-Speckle Interferometry — A. Sarrafzadeh-Khoee and J.C. Duke, 18-21 (Oct.).
Strain Analysis Along the Curved Boundary of Composites by the Birefringent-Coating Method — S. Koshide, 20-23 (Nov.).
Strain-Gage Methods for Hydrostatic Testing of Prototype Nuclear-Fuel Waste-Disposal Containers — L.J. Hosaluk, K.J. Truss and J.N. Barrie, 14-17 (July).
Strain-Gage Reinforcement Effects on Orthotropic Materials — C.C. Perry, 20-24 (Feb.).
Techniques of Measurement of Impact Response of the Thorax in Biomechanical Experiments—Part I: Instrumentation — G.S. Nusholtz, 24-26 (Nov.).
Techniques of Measurement of Impact Response of the Thorax in Biomechanical Experiments—Part II: Methods of Analysis — G.S. Nusholtz, 24-27 (Dec.).
Tension-Torsion Load Cell for Wire Rope, A — G.S. Cisko and J.W. Phillips, 18-20 (Dec.).
Troubleshooting a Closed Wheatstone-Bridge Circuit from External Resistance Measurements — C.C. Perry, 20-22 (Aug.).
Ultra-High Speed Center-Hole Technique for Difficult Machining Materials — M.T. Flaman and J.A. Herring, 34-35 (Jan.).

Author Index

Adam, G. — Computer-Assisted Instrumented-Impact Testing, 24-26 (Sept.).
Ahmadshahi, M. — An Optoelectronic System for Fringe-Pattern Analysis, 8-13 (July).
Asundi, A. — Shadow-Moiré Method for Foot-Pressure Measurement, 28 (Feb.).
Baker, J.P. — Methods of Extending the Performance of Commercial Materials-Testing Machines in Plastic Strain-Limit Control, 26-28 (Oct.).
Barkoff, A.C. — Computer-Assisted Reduction of Two-Dimensional Photoelastic Shear-Difference Data, 32-37 (Sept.).
Barrie, J.N. — Strain-Gage Methods for Hydrostatic Testing of Prototype Nuclear-Fuel Waste-Disposal Containers, 14-17 (July).
Berghaus, D.G. — Residual Stresses at Small Diffusion Welds, 40-42 (Mar.).
Breslauer, M. — Casting Compact-Tension Specimens from Brittle Epoxy, 19-21 (May).
Carter, G.W. — Field Measurement of Tension in a T-142 Tank Track, 28-32 (May).
Case, R.O. — Computer-Assisted Reduction of Two-Dimensional Photoelastic Shear-Difference Data, 32-37 (Sept.).
Chu, M.L. — An Experimental Technique to Study Impulse-Wave Propagation in Materials, 30-32 (Jan.).
Cisko, G.S. — A Tension-Torsion Load Cell for Wire Rope, 18-20 (Dec.).
Creus, G.J. — Pressure Transducer for the Measurement of Wind Effects on Full-Scale Structures, 18-19 (Nov.).
Dick, R.D. — Instrumentation Techniques for Monitoring Shock and Detonation Waves, 26-31 (Aug.).
Duke, J.C. — Small In-Plane/Out-of-Plane Ultrasonic Displacement Measurement Using Laser-Speckle Interferometry, 18-21 (Oct.).
Dykes, B.C. — SEM Strain-Gage Round-Robin, 27-31 (Sept.).
Evgin, E. — Calibration of a Dual Gamma-Ray Scanner,
Flaman, M.T. — Ultra-High Speed-Center-Hole Technique for Difficult Machining Materials, 34-35 (Jan.).
SEM/ASTM Round-Robin Residual-Stress-Measurement Study—Phase I, 23-25 (May).
Foss, S.K. — SEM Strain-Gage Round-Robin, 27-31 (Sept.).
Gates, T.S. — Photogrammetry as a Means of Mapping Postbuckled Composite Surfaces, 18-22 (June).
Han, S.B. — Effect of Mass on Force-Transducer Sensitivity, 19-22 (July).
Herring, J.A. — Ultra-High-Speed Center-Hole Technique for Difficult Machining Materials, 34-35 (Jan.).
SEM/ASTM Round-Robin Residual-Stress-Measurement Study—Phase I, 23-25 (May).
Hosaluk, L.J. — Strain-Gage Methods for Hydrostatic Testing of Prototype Nuclear-Fuel Waste-Disposal Containers, 14-17 (July).
Hunter, D.T. — A Completely Integrated System for the Treatment of Crack-Growth Test Data, 29-34 (Mar.).
Jachman, J.J. — Measurement of Automotive-Suspension Displacement Using Rotary Variable Differential Transformers, 30-33 (Apr.).
Kesavan, S.K. — An Experimental Technique to Assess the Compactness of Slurry-Fuel Sediments, 28-29 (Apr.).
An Experimental Technique to Study Impulse-Wave Propagation in Materials, 30-32 (Jan.).

INDEX TO
EXPERIMENTAL TECHNIQUES

Volume 10, 1986

Title Index

Calibration of a Dual Gamma-Ray Scanner — E. Evgin, 21-23 (Dec.).
Casting Compact-Tension Specimens from Brittle Epoxy — M. Breslauer, A.S. Voloshin and J.A. Manson, 26-27 (May).
Completely Integrated System for the Treatment of Crack-Growth Test Data, A — B.J. Schwartz and D.T. Hunter, 29-34 (Mar.).
Computer-Assisted Instrumented-Impact Testing — G. Adam, Y. Rosenthal and M. Mark-Markowitch, 24-26 (Sept.).
Computer-Assisted Reduction of Two-Dimensional Photoelastic Shear-Difference Data — R.O. Case and A.C. Barkoff, 32-37 (Sept.).
Crack-Propagation Velocity Measurements — S. Sahraoui, J. Lataillade and J. Pouyet, 23-25 (June).
Deflected-Beam Technique for Determining the Center Mass of a Body — P.E. Klingsport, 26-28 (Jan.).
Demonstration of Principal-Stress Trajectories in Frozen-Stress Three-Dimensional Models — B.M. Michalski and M.A. Sklodowski, 36-39 (Mar.).
Design of a Wood's Metal Grip in Torsion — H. Nayeb-Hashemi, 34-37 (Apr.).
Effect of Mass on Force-Transducer Sensitivity — K.G. McConnell and S.-B. Han, 19-22 (July).
Experimental Field-Testing Device for Agricultural Tools — N. Lepore and V. Steffen, Jr., 24-25 (Aug.).
Experimental Technique to Assess the Compactness of Slurry-Fuel Sediments, An — S.K. Kesavan and N.P. Reddy, 28-29 (Apr.).
Experimental Technique to Study Impulse-Wave Propagation in Materials, An — S. Yazdani-Ardakani, S.K. Kesavan and M.L. Chu, 30-32 (Jan.).
Field Measurement of Tension in a T-142 Tank Track — R.M. Trusty, M.D. Witt, G.W. Carter and D.R. Lesuer, 28-32 (May).
Improvised Sliding-Wear Testing Device — G. Sridharan, 26-27 (June).
Instrumentation Techniques for Monitoring Shock and Detonation Waves — R.D. Dick and R.L. Parrish, 26-31 (Aug.).
Measurement of Automotive-Suspension Displacement Using Rotary Variable Differential Transformers — J.J. Jachman, 30-33 (Apr.).
Measurement of Contact Angle in a Clearance-Fit Pin-Loaded Hole — R. Prabhakaran and R.A. Naik, 25-27 (Feb.).
Measurement of Hydrostatic-Pressure Effect on Tension Test of Photoviscoplastic Polymers — T. Nishitani, 19-21 (May).
Methods of Extending the Performance of Commercial Materials-Testing Machines in Plastic Strain-Limit Control — J.P. Baker, L.L. Lisiecki and J.R. Weertman, 26-28 (Oct.).
Optoelectronic System for Fringe-Pattern Analysis, An — C.A. Sciammarella and M. Ahmadshahi, 8-13 (July).
Photogrammetry as a Means of Mapping Postbuckled Composite Surfaces — T.S. Gates, 18-22 (June).
Position/Dimension by Structured Light — C. Silvaggi, F. Luk and W. North, 22-25 (Oct.).
Pressure Transducer for the Measurement of Wind Effects on Full-Scale Structures — G.J. Creus, 18-19 (Nov.).
Rastegaev Upset Test, The—A Method to Compare Large Material Volumes Homogeneously — W. Reiss and K. Pohlandt, 20-24 (Jan.).
Residual Stresses at Small Diffusion Welds — D.G. Berghaus, 40-42 (Mar.).
SEM Strain-Gage Round-Robin — S.K. Foss, B.C. Dykes and M.E. Tuttle, 27-31 (Sept.).
SEM/ASTM Round-Robin Residual-Stress Measurement Study—Phase I — M.T. Flaman and J.A. Herring, 23-25 (May).
Shadow-Moiré Method for Foot-Pressure Measurement — A. Asundi, 28 (Feb.).
Small In-Plane/Out-of-Plane Ultrasonic Displacement Measurement Using Laser-Speckle Interferometry — A. Sarrafzadeh-Khoee and J.C. Duke, 18-21 (Oct.).
Strain Analysis Along the Curved Boundary of Composites by the Birefringent-Coating Method — S. Koshide, 20-23 (Nov.).
Strain-Gage Methods for Hydrostatic Testing of Prototype Nuclear-Fuel Waste-Disposal Containers — L.J. Hosaluk, K.J. Truss and J.N. Barrie, 14-17 (July).
Strain-Gage Reinforcement Effects on Orthotropic Materials — C.C. Perry, 20-24 (Feb.).
Techniques of Measurement of Impact Response of the Thorax in Biomechanical Experiments—Part I: Instrumentation — G.S. Nusholtz, 24-26 (Nov.).
Techniques of Measurement of Impact Response of the Thorax in Biomechanical Experiments—Part II: Methods of Analysis — G.S. Nusholtz, 24-27 (Dec.).
Tension-Torsion Load Cell for Wire Rope, A — G.S. Cisko and J.W. Phillips, 18-20 (Dec.).
Troubleshooting a Closed Wheatstone-Bridge Circuit from External Resistance Measurements — C.C. Perry, 20-22 (Aug.).
Ultra-High Speed Center-Hole Technique for Difficult Machining Materials — M.T. Flaman and J.A. Herring, 34-35 (Jan.).

Author Index

Adam, G. — Computer-Assisted Instrumented-Impact Testing, 24-26 (Sept.).
Ahmadshahi, M. — An Optoelectronic System for Fringe-Pattern Analysis, 8-13 (July).
Asundi, A. — Shadow-Moiré Method for Foot-Pressure Measurement, 28 (Feb.).
Baker, J.P. — Methods of Extending the Performance of Commercial Materials-Testing Machines in Plastic Strain-Limit Control, 26-28 (Oct.).
Barkoff, A.C. — Computer-Assisted Reduction of Two-Dimensional Photoelastic Shear-Difference Data, 32-37 (Sept.).
Barrie, J.N. — Strain-Gage Methods for Hydrostatic Testing of Prototype Nuclear-Fuel Waste-Disposal Containers, 14-17 (July).
Berghaus, D.G. — Residual Stresses at Small Diffusion Welds, 40-42 (Mar.).
Breslauer, M. — Casting Compact-Tension Specimens from Brittle Epoxy, 19-21 (May).
Carter, G.W. — Field Measurement of Tension in a T-142 Tank Track, 28-32 (May).
Case, R.O. — Computer-Assisted Reduction of Two-Dimensional Photoelastic Shear-Difference Data, 32-37 (Sept.).
Chu, M.L. — An Experimental Technique to Study Impulse-Wave Propagation in Materials, 30-32 (Jan.).
Cisko, G.S. — A Tension-Torsion Load Cell for Wire Rope, 18-20 (Dec.).
Creus, G.J. — Pressure Transducer for the Measurement of Wind Effects on Full-Scale Structures, 18-19 (Nov.).
Dick, R.D. — Instrumentation Techniques for Monitoring Shock and Detonation Waves, 26-31 (Aug.).
Duke, J.C. — Small In-Plane/Out-of-Plane Ultrasonic Displacement Measurement Using Laser-Speckle Interferometry, 18-21 (Oct.).
Dykes, B.C. — SEM Strain-Gage Round-Robin, 27-31 (Sept.).
Evgin, E. — Calibration of a Dual Gamma-Ray Scanner,
Flaman, M.T. — Ultra-High Speed-Center-Hole Technique for Difficult Machining Materials, 34-35 (Jan.).
SEM/ASTM Round-Robin Residual-Stress-Measurement Study—Phase I, 23-25 (May).
Foss, S.K. — SEM Strain-Gage Round-Robin, 27-31 (Sept.).
Gates, T.S. — Photogrammetry as a Means of Mapping Postbuckled Composite Surfaces, 18-22 (June).
Han, S.B. — Effect of Mass on Force-Transducer Sensitivity, 19-22 (July).
Herring, J.A. — Ultra-High-Speed Center-Hole Technique for Difficult Machining Materials, 34-35 (Jan.).
SEM/ASTM Round-Robin Residual-Stress-Measurement Study—Phase I, 23-25 (May).
Hosaluk, L.J. — Strain-Gage Methods for Hydrostatic Testing of Prototype Nuclear-Fuel Waste-Disposal Containers, 14-17 (July).
Hunter, D.T. — A Completely Integrated System for the Treatment of Crack-Growth Test Data, 29-34 (Mar.).
Jachman, J.J. — Measurement of Automotive-Suspension Displacement Using Rotary Variable Differential Transformers, 30-33 (Apr.).
Kesavan, S.K. — An Experimental Technique to Assess the Compactness of Slurry-Fuel Sediments, 28-29 (Apr.).
An Experimental Technique to Study Impulse-Wave Propagation in Materials, 30-32 (Jan.).

Klingsporn, P.E. — Deflected-Beam Technique for Determining the Center Mass of a Body, 26-28 (Jan.).
Koshide, S. — Strain Analysis Along the Curved Boundary of Composites by the Birefringent-Coating Method, 20-23 (Nov.).
Lataillade, J. — Crack-Propagation Velocity Measurements, 23-25 (June).
Lepore, N. — Experimental Field-Testing Device for Agricultural Tools, 24-25 (Aug.).
Lesuer, D.R. — Field Measurement of Tension in a T-142 Tank Track, 28-32 (May).
Lisiecki, L.L. — Methods of Extending the Performance of Commercial Materials-Testing Machines in Plastic Strain-Limit Control, 26-28 (Oct.).
Luk, F. — Position/Dimension by Structured Light, 22-25 (Oct.).
Manson, J.A. — Casting Compact-Tension Specimens from Brittle Epoxy, 26-27 (May).
Mark-Markowitch, M. — Computer-Assisted Instrumented-Impact Testing, 24-26 (Sept.).
McConnell, K.G. — Effect of Mass on Force-Transducer Sensitivity, 19-22 (July).
Michalski, B.M.—Demonstration of Principal-Stress Trajectories in Frozen-Stress Three-Dimensional Models, 36-39 (Mar.).
Naik, R.A. — Measurement of Contact Angle in a Clearance-Fit Pin-Loaded Hole, 25-27 (Feb.).
Nayeb-Hashemi, H. — Design of a Wood's Metal Grip in Torsion, 34-37 (Apr.).
Nishitani, T. — Measurement of Hydrostatic-Pressure Effect on Tension Test of Photoviscoplastic Polymers, 19-21 (May).
North, W. — Position/Dimension by Structured Light, 22-25 (Oct.).
Nusholtz, G.S. — Techniques of Measurement of Impact Response of the Thorax in Biomechanical Experiments—Part I: Instrumentation, 24-26 (Nov.).
Techniques of Measurement of Impact Response of the Thorax in Biomechanical Experiments—Part II: Methods of Analysis, 24-27 (Dec.).
Parrish, R.L. — Instrumentation Techniques for Monitoring Shock and Detonation Waves, 26-31 (Aug.).
Perry, C.C. — Strain-Gage Reinforcement Effects on Orthotropic Materials, 20-24 (Feb.).
Troubleshooting a Closed Wheatstone-Bridge Circuit from External Resistance Measurements, 20-22 (Aug.).
Phillips, J.W. — A Tension-Torsion Load Cell for Wire Rope, 18-20 (Dec.).
Pohlandt, K. — The Rastegaev Upset Test—A Method to Compare Large Material Volumes Homogeneously, 20-24 (Jan.).
Pouyet, J. — Crack-Propagation Velocity Measurements, 23-25 (June).
Prabhakaran, R. — Measurement of Contact Angle in a Clearance-Fit Pin-Loaded Hole, 25-27 (Feb.).
Reddy, N.P. — An Experimental Technique to Assess the Compactness of Slurry-Fuel Sediments, 28-29 (Apr.).
Reiss, W. — The Rastegaev Upset Test—A Method to Compare Large Material Volumes Homogeneously, 20-24 (Jan.).
Rosenthal, Y. — Computer-Assisted Instrumented-Impact Testing, 24-26 (Sept.).
Sahraoui, J. — Crack-Propagation Velocity Measurements, 23-25 (June).
Sarrafzadeh-Khoee, A. — Small In-Plane/Out-of-Plane Ultrasonic Displacement Measurement Using Laser-Speckle Interferometry, 18-21 (Oct.).
Schwartz, B.J. — A Completely Integrated System for the Treatment of Crack-Growth Test Data, 29-34 (Mar.).
Sciammarella, C.A. — An Optoelectronic System for Fringe-Pattern Analysis, 8-13 (July).
Silvaggi, C. — Position/Dimension by Structured Light, 22-25 (Oct.).
Sklodowski, M.A. — Demonstration of Principal-Stress Trajectories in Frozen-Stress Three-Dimensional Models, 36-39 (Mar.).
Sridharan, G. — Improvised Sliding-Wear Testing Device, 26-27 (June).
Steffen, Jr., V. — Experimental Field-Testing Device for Agricultural Tools, 24-25 (Aug.).
Truss, K.J. — Strain-Gage Methods for Hydrostatic Testing of Prototype Nuclear-Fuel Waste-Disposal Containers, 14-17 (July).
Trusty, M.D. — Field Measurement of Tension in a T-142 Tank Track, 28-32 (May).
Tuttle, M.E. — SEM Strain-Gage Round-Robin, 27-31 (Sept.).
Voloshin, A.S. — Casting Compact-Tension Specimens from Brittle Epoxy, 26-27 (May).
Weertman, J.R. — Methods of Extending the Performance of Commercial Materials-Testing Machines in Plastic Strain-Limit Control, 26-28 (Oct.).
Witt, M.D. — Field Measurement of Tension in a T-142 Tank Track, 28-32 (May).
Yazdani-Ardakani, S. — An Experimental Technique to Study Impulse-Wave Propagation in Materials, 30-32 (Jan.).
Ying, J. — Measurement of Shock-Absorption Characteristics of Athletic Shoes, 21-24 (June).

PHYSICAL MODELING OF SHELL AND SPACE STRUCTURES

Edited by G.M. Sabnis and S.E. Swartz

State of the art developments in construction, testing and interpretation techniques for models of shells and other spatial structures are examined. The papers contained in the 140-page softbound volume were first presented during an ASCE/SESA Exchange session at the October 1982 ASCE Annual convention. They include:

'Model Study of the Failure of a Steel Bin Structure' by R.N. White • 'General Similitude Theory—Application to Thin Plates and Shells' by B. Krayterman and G.M. Sabnis • 'Physical Model Studies of Reinforced Concrete Folded Plates' by C.D. Sutton and M.E. Goldberg • 'Tests on Micro-Concrete Model of Hyperboloid of Revolution' by S.E. Swartz, C.C. Chien and K.K. Hu • 'Experimental Study of a Segmentally Constructed Cooling Tower' by M.T. Mostafa and P. Zia

Price: $6.00. Postage & handling: $2.00 in U.S.; $2.00 per book for foreign orders. Prepayment is required. Send orders to: SEM, Inc., Publications Department, 7 School Street, Bethel, CT 06801.

MECHANICAL ENGINEERING

PURDUE UNIVERSITY'S School of Mechanical Engineering invites applications for a tenure-track faculty position in experimental mechanics. Preference will be given to candidates with specialized knowledge and research interests in experimental vibrations or acoustics, modal analysis techniques, dynamic stress measurements. A sound background in the theoretical foundation of experimental mechanics is required. There will be an opportunity to develop graduate work in the area of specialization. Applicants should hold the PhD or equivalent. The opening is normally at the assistant/associate professor level; rank and salary are commensurate with experience and qualifications. It is the intent that this position be filled as soon as possible, but prior to September 1, 1987. A complete resume with three references should be sent to:

Professor Winfred M. Phillips, Head
School of Mechanical Engineering
Purdue University
West Lafayette, Indiana 47907

Purdue is an equal opportunity/affirmative action employer.